

mEBAL: A Multimodal Database for Eye Blink Detection and Attention Level Estimation

Roberto Daza, Aythami Morales, Julian Fierrez, Ruben Tolosana
Biometrics and Data Pattern Analytics, BiDA-Lab, Universidad Autonoma de Madrid, Spain
{roberto.daza, aythami.morales, julian.fierrez, ruben.tolosana}@uam.es




Figure 1: Diagram of the acquisition framework of mEBAL.

ABSTRACT

This work presents mEBAL¹, a multimodal database for eye blink detection and attention level estimation. The eye blink frequency is related to the cognitive activity and automatic detectors of eye blinks have been proposed for many tasks including attention level estimation, analysis of neuro-degenerative diseases, deception recognition, drive fatigue detection, or face anti-spoofing. However, most existing databases and algorithms in this area are limited to experiments involving only a few hundred samples and individual sensors like face cameras. The proposed mEBAL improves previous databases in terms of acquisition sensors and samples. In particular, three different sensors are simultaneously considered: Near Infrared (NIR) and RGB cameras to capture the face gestures and an Electroencephalography (EEG) band to capture the cognitive activity of the user and blinking events. Regarding the size of mEBAL, it comprises 6,000 samples and the corresponding attention level from 38 different students while conducting a number of e-learning tasks of varying difficulty. In addition to presenting mEBAL, we also include preliminary experiments on: *i*) eye blink detection using Convolutional Neural Networks (CNN) with the facial images, and *ii*) attention level estimation of the students based on their eye blink frequency.

CCS CONCEPTS

• Applied computing → E-learning; • Computing methodologies → Activity recognition and understanding.

¹<https://github.com/BiDALab/mEBAL>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

ACM Conference, ,

© 2020 Association for Computing Machinery.

<https://doi.org/XX.XXXX/XXXXXXXXXXXXXXXXXX>

KEYWORDS

Eye Blink, Attention level, E-learning, Cognitive modelling

ACM Reference Format:

Roberto Daza, Aythami Morales, Julian Fierrez, Ruben Tolosana. 2020. mEBAL: A Multimodal Database for Eye Blink Detection and Attention Level Estimation. In *ACM Conference*. ACM, New York, NY, USA, 5 pages. <https://doi.org/XX.XXXX/XXXXXXXXXXXXXXXXXX>

1 INTRODUCTION

The importance of virtual education platforms has increased significantly in the last 10 years [6] and the COVID-19 outbreak in 2020 has strengthened that importance. With a large percentage of the academic institutions around the world now in lockdown, virtual education has temporally replaced traditional education to a very large extent.

E-learning is not only useful in exceptional cases with an imposed social distancing, but also in many other scenarios in which traditional education is limited, as it can provide worldwide access, flexible schedule, and personalized learning strategies. However, e-learning also presents some challenges compared to the traditional face-to-face education, e.g.: the absence of a direct contact between teachers and students and the difficulties to certify the authorship during online evaluations.

E-learning platforms allow to capture student information to create personalized environments whose contents and methodologies can be adapted dynamically to the different needs of each student. Information such as the performance on questions, the time necessary to perform the different tasks, the emotional state [37], or the the heart rate [16] can be used to understand the student behavior and conditions [15].

Undoubtedly, e-learning platforms will benefit significantly by exploiting the attention level of the student [32]. This could be used to: *i*) adapt dynamically the environment and content [11, 29] based on the attention level, and *ii*) improve the educational materials and resources with a posterior analysis of the e-learning sessions

Table 1: Existing databases for Eye Blink detection.

Ref.	Year	Blinks	Users	Resol.	Att.	Sensors
[41]	NA	61	1	720 × 576	No	1
[31]	2007	255	20	320 × 240	No	1
[9]	2014	353	4	640 × 480	No	1
[34]	2015	300	5	640 × 480	No	1
[20]	2019	381	172	1280 × 720	No	1
Ours	2020	3000	38	1280 × 720	Yes	3

(e.g. detecting the type of contents more appropriate for a specific student).

Since the 70s there are studies relating the eye blink rate with cognitive activity like attention [2, 19]. The studies suggest that lower eye blink rates can be associated to high attention periods while higher eye blink rates are related to low attention levels. Therefore, in this context, automatic eye blink detection can be a tool for estimating the attention level of the students and improving e-learning platforms.

Similar rationale motivates also the usage of eye blink detection in many other problems where knowing the cognitive activity is useful, e.g.: driver fatigue detection [4, 18], lie detection [23, 26], detection of mild cognitive impairment [25], face anti-spoofing [12, 17, 31], dry eye syndrome recovery [35], human-computer interfaces [1] that ease communication for disabled people [30], fake news and DeepFakes detection [24, 27, 42], and activity recognition [21]. Even though our work has been developed with an e-learning application in mind, our research and resources (in particular mEBAL) can be very useful in all these related problems.

In the present work, two different approaches are used to detect eye blinks: *i) EEG-based detection*, using electroencephalography signals acquired with a head band. This detection is used to create a candidate list of eye blinks that will be then manually validated to create a groundtruth. And *ii) Image-based detection*, using the face images acquired using RGB and NIR cameras. This detection comprises face detection, landmark detection to locate the eye region, and eye blink detection. Fig. 1 shows the acquisition framework of mEBAL and the proposed eye blink detectors. The image-based detector could be used in applications where only a webcam is available. The main contributions of this study are:

- A new multimodal database for Eye Blink detection and Attention Level estimation: mEBAL². The database comprises data from 38 students and it includes: 3,000 blink samples (378,000 frames in total), 3,000 no-blink samples (378,000 frames in total), and the cognitive activity of the students. This database is eight times larger than existing eye blink databases and it is unique in its multimodal nature.
- An image-based eye blink detector trained over the proposed mEBAL and evaluated over another public eye blink database [20], considering in-the-wild scenarios. This detector consists of Convolutional Neural Networks (CNN).
- A preliminary experiment evaluating the eye blink detector as an estimator of the level of attention from RGB face images.

²<https://github.com/BiDALab/mEBAL>

Table 2: Sensors included in the mEBAL framework.

Sensors	Sampling Rate	Features
1 RGB Camera	30 Hz	MP4 with codec H.264
2 Infrared Cameras	30 Hz	MP4 with codec H.264
EEG Band	1 Hz	$\alpha, \beta, \gamma, \delta, \theta$

The rest of the paper is organized as follows: Section 2 summarizes works related to eye blink detection. Section 3 presents our database. Section 4 describes the baseline eye blink detector developed for our experiments. Section 5 analyzes the results obtained on eye blink detection and attention level estimation. Finally, remarks and future work are drawn in Section 6.

2 RELATED WORKS

One of the challenges to train robust eye blink detectors is the absence of large-scale public databases. Table 1 summarizes the most popular eye blink detection databases in the literature. As can be seen, all available databases comprise only a few hundred samples. The main differences lie in the number of users and acquisition conditions. While databases such as [9, 31, 41] present controlled environments, recent works explore the detection of eye blinks in unconstrained scenarios [20].

Regarding the detection methods, they can be divided into: *i) motion-based* [9, 28], which exploit the dynamic information around eye blink events; *ii) appearance-based* [7, 39], which process the images and extract features related to the texture and shape of the eyes; and *iii) mixed approaches* based on the combination of image and temporal information [20].

To the best of our knowledge, our contributed mEBAL database is the first one that provides both eye blink images and cognitive activity information.

3 MEBAL: MULTIMODAL FRAMEWORK FOR EYE BLINK AND ATTENTION LEVEL

3.1 Acquisition Sensors

We designed a multimodal acquisition framework to monitor cognitive and eye blink activity during the execution of online tasks (see Fig. 1) based on the edBB platform for remote education assessment [14]. The following sensors are considered in the acquisition setup (see Table 2):

- An **EEG headset** by NeuroSky³ that captures 5 channels of electroencephalographic information ($\alpha, \beta, \gamma, \delta, \theta$). These signals provide temporal information related to the cognitive activity of the student. The sensor also provides a temporal sequence with the eye blink strength. The sampling rate of the band is 1 Hz. The EEG band is used to capture the cognitive activity of the student and the eye blink candidates that will be used as groundtruth (as we will see later, some eye blinks must be discarded as false positives).
- An **Intel RealSense** (model D435i), which comprises 1 RGB and 2 NIR cameras. An average blink takes 100ms-400ms

³<https://store.neurosky.com/pages/mindwave>




Figure 2: Landmark detection and ROI extraction. Example images included in mEBAL. Note that in some no-blink cases the eyes seem to be closed due to the gaze orientation.

according to the Harvard Database of Useful Biological Numbers [36]. The Intel RealSense sensor is configured to 30 Hz (one frame every 33ms) and 1280×720 resolution. Therefore, an eye blink can take between 3 to 13 frames.

3.2 Description of the mEBAL Database

Students performed 8 different tasks categorized in the following three groups: *i) enrollment form*: name and surname, ID number, nationality, e-mail address, etc. (low level of attention is expected); *ii) writing questions*: these questions are oriented to measure the students’ cognitive abilities under different situations such as solving logical problems, describing images, crosswords, finding differences, etc. (increasing level of attention is expected); and *iii) multiple choice questions*: aimed to detect the students’ attention and focus levels (high level of attention is expected).

mEBAL comprises a total of 6,000 samples divided in two halves (blink and no-blink) from both eyes acquired with 1 RGB and 2 NIR cameras. Each sample comprises 21 frames (around 600 ms.) for a total number of images of 756,000 ($6,000 \times 21 \times 2 \times 3$). Aspects such as the user position and changes in the illumination were considered during the acquisition in order to simulate realistic e-learning scenarios. 11 out of the 38 students used glasses.

The mEBAL dataset was obtained from the raw data provided in the edBdb [14]. The eye blink and attention level information was labelled following a semi-supervised method. First, eye blink candidates were selected using the EEG band signals (eye blink strength is an attribute provided by the EEG band SDK). Second, we made a manual refinement of the eye blink samples detected by the band to eliminate false positives. Once the eye blink samples were validated, we stored the 10 frames previous and posterior to the eye blink event (21 frames in total for each eye blink). These frames can be used to exploit the temporal information proposed in some approaches of the literature [39]. Finally, we used facial

Table 3: Eye Blink detection results on HUST-LEBW dataset.

Method	Eye	Recall	Precision	F1
[28]	Left	0.0164	0.6667	0.0320
	Right	0.0159	1.0000	0.0313
[5]	Left	0.0164	1.0000	0.0323
	Right	0.0000	0.0000	0.0000
[40]	2 eyes	0.0714	0.4500	0.1233
[9]	Left	0.0574	0.4118	0.1007
	Right	0.0317	0.3077	0.0576
[39]	Left	0.3607	0.6471	0.4632
	Right	0.3016	0.5758	0.3958
[20]	Left	0.5410	0.8919	0.6735
	Right	0.4444	0.7671	0.5628
Ours	Left	0.9603	0.6080	0.7446
	Right	0.7950	0.7348	0.7637

landmark detection [8] to track the eye position (see Fig. 2). Entire face images, eye bounding boxes, and the cropped eyes are provided in our contributed mEBAL database. Additionally, we include the cognitive temporal signals $\alpha, \beta, \gamma, \delta, \theta$ provided by the EEG band. As the number of no-blink images is much larger than the blink images, we subsampled the no-blink images to obtain the same number of samples per class: Blink and no-Blink (see Fig. 1).

4 EYE BLINK DETECTION ALGORITHM

Inspired in the popular VGG16 architecture [38], we propose an eye blink detector based on a CNN trained from scratch. The proposed network comprises an input layer of 50×50 size, followed by 3 convolutional layers with ReLU activation (32/32/64 filters of size 3×3), with 3 max pooling layers between them, a dense layer of 64 units with ReLU activations, and a final output layer with one unit (sigmoid activation). Also, we use dropout (0.5) to reduce overfitting. The batch size is set up to 50. Adam optimizer is considered with default parameters (0.001 learning rate). The network is trained as a binary classifier (eyes open or closed), using the mEBAL subset of RGB cropped eyes (see Fig. 2).

5 EXPERIMENTS AND RESULTS

5.1 Experimental Protocol

The evaluation is performed over the public HUST-LEBW benchmark for eye blink detection presented in [20]. Note that the mEBAL database (used for training our blink detector) was obtained in a controlled environment, while the HUST-LEBW dataset (used for testing our blink detector) was obtained in the wild. This will allow to measure the generalization ability of the proposed eye blink detector to unseen scenarios [13, 33].

The HUST-LEBW dataset includes 381 eye blink and 292 no-blink samples. Each sample comprises 13 frames. All 13 frames are processed with the CNN proposed in Section 4, which generates for each input image an eye blink strength score. Among the 13 scores obtained for a sample (one per frame), the maximum is selected to represent the sample score. The decision threshold is fixed to the point in which the False Positive and False Negative rates in blink detection are equal.




Figure 3: Normalized Attention Level, estimated and groundtruth Eye Blink rates of 4 different students.

5.2 Eye Blink Detection Results

Table 3 presents the results and comparison with previous approaches evaluated over the same HUST-LEBW Dataset [5, 9, 20, 28, 39, 40]. The results show how our method outperforms state-of-the-art eye blink detection algorithms for Recall and F1 metrics. There is an important difference between left and right eyes in terms of performance. This difference is caused by the characteristics of the HUST-LEBW dataset (e.g., head orientation in the samples).

Note that the approach proposed in [20] was developed using the training set provided with HUST-LEBW. This training set comprises images with similar characteristics as those used in the evaluation set. Our results were obtained training with mEBAL, acquired under controlled conditions. Thus, the high performance obtained with our method demonstrates the good generalization capacity of our approach to unseen scenarios. These results demonstrate the potential of mEBAL to train a new generation of eye blink detectors.

5.3 Attention Level Estimation Results

In this section, we analyze the relationship between the eye blink rate and the attention level estimated by the algorithm provided with the EEG band. We present a preliminary experiment focused on sudden changes in the level of attention of students. According to the literature [2, 19], we should observe an inverse relationship between eye blink rate and level of attention. Fig. 3 shows the attention level and eye blink estimation of 4 different students during a period of 4 minutes. We have averaged the level of attention for each 20 seconds using a sliding window of 5 seconds. The estimated and groundtruth eye blinks are calculated as bpm (blinks per minutes) using a sliding window of 5 seconds again. All three signals were normalized using the *min-max* technique [10, 22].

The results show a small difference between the eye blink detector and the groundtruth provided by the EEG band. These results demonstrate again the high accuracy of the trained image-based blink detector. Regarding the level of attention and the eye blink rate, in most instances, the level of attention and eye blink signals have a negative correlation, which is coherent with the literature. High peaks in the attention level are usually correlated with low eye blink rates and viceversa. However, other factors can affect the eye blink rates and more context is necessary to improve the estimation of the level of attention based on the eye blink rate.

6 CONCLUSION

This work has presented mEBAL, a new multimodal database for eye blink detection and attention level estimation, the largest one in the literature for research in these problems. This database improves previous databases in sensors (EEG band, NIR and RGB cameras) and samples: 6,000 samples in two halves (blink and no-blink) of both eyes for a total of 756,000 images.

Also, we have performed experiments to: *i*) detect the eye blinks with Convolutional Neural Networks trained from scratch using RGB images, and *ii*) predict the level of attention of students conducting various e-learning tasks based on their eye blink frequency.

The results achieved have proved that mEBAL can be used to train accurate eye blink detectors under realistic acquisition conditions. In fact, our results have outperformed the state of the art with a simple yet powerful CNN learning architecture, thanks mainly to the utility of our contributed database, which is well suited for data-driven eye blink detection approaches.

Future work should consider other recognition architectures better adapted to the eye blink detection problem (e.g., combining CNNs and Recurrent Neural Networks [3, 10] to incorporate time information [43]). The preliminary experiment carried out to measure the correlation between the attention level and the eye blink frequency has shown encouraging results and should be also analyzed in more depth.

Even though our work has been developed with e-learning in mind [14, 15], the contributed resources and methods for eye blink detection can be very useful for other problems as well, e.g.: driver fatigue detection [18], lie detection, DeepFakes detection [24], face anti-spoofing [17], human-computer interfaces [1], and others.

ACKNOWLEDGMENTS

This work has been supported by projects: PRIMA (ITN-2019-860315), TRESPASS-ETN (ITN-2019-860813), IDEA-FAST (IMI2-2018-15-two-stage-853981), BIBECA (RTI2018-101248-B-I00 MINECO-FEDER), and edBB (Universidad Autonoma de Madrid). Ruben Tolosana and postdoc support from CAM/FEDER. Roberto Daza is supported by a PhD FPI fellowship from MINECO-FEDER.

REFERENCES

- [1] Alejandro Acien, Aythami Morales, Ruben Vera-Rodriguez, and Julian Fierrez. 2020. Smartphone Sensors for Modeling Human-Computer Interaction: General Outlook and Research Datasets for User Authentication. In *Proc. IEEE International Workshop on Consumer Devices and Systems*.
- [2] Janice Bagley and Leon Manelis. 1979. Effect of Awareness on an Indicator of Cognitive Load. *Perceptual and Motor Skills* 49, 2 (1979), 591–594.
- [3] Tadas Baltrušaitis, Chaitanya Ahuja, and Louis-Philippe Morency. 2018. Multimodal Machine Learning: A Survey and Taxonomy. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 41, 2 (2018), 423–443.
- [4] Luis Miguel Bergasa, Jesus Nuevo, Miguel A. Sotelo, Rafael Barea, and María Elena Lopez. 2016. Real-time System for Monitoring Driver Vigilance. *IEEE Transactions on Intelligent Transportation Systems* 7, 1 (2016), 63–77.
- [5] Michael Chau and Margrit Betke. 2005. *Real Time Eye Tracking and Blink Detection with USB Cameras*. Technical Report. Boston University Computer Science Department.
- [6] Peijin Chen. 2018. Research on Sharing Economy and E-Learning in the Era of 'Internet Plus'. In *Proc. International Conference on Education Science and Economic Management*.
- [7] Navneet Dalal and Bill Triggs. 2005. Histograms of Oriented Gradients for Human Detection. In *Proc. IEEE Computer Society Conference on Computer Vision and Pattern Recognition*. 886–893.
- [8] dlib C++ library. ver. 19.20. . Retrieved June 9, 2020 from <http://github.com/davisking/dlib>
- [9] Tomas Drutarovsky and Andrej Fogelton. 2014. Eye Blink Detection using Variance of Motion Vectors. In *Proc. European Conference on Computer Vision*. 436–448.
- [10] Julian Fierrez, Aythami Morales, Ruben Vera-Rodriguez, and David Camacho. 2018. Multiple Classifiers in Biometrics. Part 1: Fundamentals and Review. *Information Fusion* 44 (2018), 57–64.
- [11] Julian Fierrez, Aythami Morales, Ruben Vera-Rodriguez, and David Camacho. 2018. Multiple Classifiers in Biometrics. Part 2: Trends and Challenges. *Information Fusion* 44 (2018), 103–112.
- [12] Javier Galbally, Sebastien Marcel, and Julian Fierrez. 2014. Biometric Anti-spoofing Methods: A Survey in Face Recognition. *IEEE Access* 2 (2014), 1530–1552.
- [13] Ester Gonzalez-Sosa, Julian Fierrez, Ruben Vera-Rodriguez, and Fernando Alonso-Fernandez. 2018. Facial Soft Biometrics for Recognition in the Wild: Recent Works, Annotation and COTS Evaluation. *IEEE Trans. on Information Forensics and Security* 13, 8 (2018), 2001–2014.
- [14] Javier Hernandez-Ortega, Roberto Daza, Aythami Morales, Julian Fierrez, and Javier Ortega-Garcia. 2020. edBB: Biometrics and Behavior for Assessing Remote Education. In *Proc. AAAI Workshop on Artificial Intelligence for Education*.
- [15] Javier Hernandez-Ortega, Roberto Daza, Aythami Morales, Julian Fierrez, and Ruben Tolosana. 2020. Heart Rate Estimation from Face Videos for Student Assessment: Experiments on edBB. In *Proc. IEEE Computers, Software, and Applications Conference*.
- [16] Javier Hernandez-Ortega, Julian Fierrez, Aythami Morales, and David Diaz. 2020. A Comparative Evaluation of Heart Rate Estimation Methods using Face Videos. In *Proc. IEEE International Workshop on Medical Computing*.
- [17] Javier Hernandez-Ortega, Julian Fierrez, Aythami Morales, and Javier Galbally. 2019. *Handbook of Biometric Anti-Spoofing*. Chapter Introduction to Face Presentation Attack Detection, 187–206.
- [18] Javier Hernandez-Ortega, Shigenori Nagae, Julian Fierrez, and Aythami Morales. 2019. Quality-Based Pulse Estimation from NIR Face Video with Application to Driver Monitoring. In *Proc. Iberian Conference on Pattern Recognition and Image Analysis*. 108–119.
- [19] Morris K. Holland and Gerald Tarlow. 1972. Blinking and Mental Load. *Psychological Reports* 31, 1 (1972), 119–127.
- [20] Guilei Hu, Yang Xiao, Zhiguo Cao, Lubin Meng, Zhiwen Fang, Joey T. Zhou, and Junsong Yuan. 2019. Towards Real-time Eyeblick Detection in the Wild: Dataset, Theory and Practices. *IEEE Transactions on Information Forensics and Security* (2019), 2194–2208.
- [21] Shoya Ishimaru, Kai Kunze, Koichi Kise, Jens Weppner, Andreas Dengel, Paul Lukowicz, and Andreas Bulling. 2014. In the Blink of an Eye: Combining Head Motion and Eye Blink Frequency for Activity Recognition with Google Glass. In *Proc. Augmented Human International Conference*.
- [22] Anil Jain, Karthik Nandakumar, and Arun Ross. 2005. Score Normalization in Multimodal Biometric Systems. *Pattern recognition* 38, 12 (2005), 2270–2285.
- [23] Samantha JMann, Aldert Vrij, and Ray Bull. 2002. Suspects, Lies, and Videotape: An Analysis of Authentic High-Stake Liars. *Law and Human Behavior* 26, 3 (2002), 365–376.
- [24] TackHyun Jung, Sangwon Kim, and Keecheon Kim. 2020. DeepVision: Deepfakes Detection using Human Eye Blinking pattern. *IEEE Access* (2020), 83144–83154.
- [25] Aristeia Ladas, Christos Frantzidis, Panagiotis Bamidis, and Ana B. Vivas. 2014. Eye Blink Rate as a Biological Marker of Mild Cognitive Impairment. *International Journal of Psychophysiology* 93, 1 (2014), 12–16.
- [26] Sharon Leal and Aldert Vrij. 2008. Blinking During and After Lying. *Law and Human Behavior* 32, 4 (2008), 187–194.
- [27] Yuezun Li, Ming-Ching Chang, and Siwei Lyu. 2018. In Ictu Oculi: Exposing AI Generated Fake Face Videos by Detecting Eye Blinking. In *Proc. International Workshop on Information Forensics and Security*.
- [28] Tim Morris, Paul Blenkhorn, and Farhan Zaidi. 2002. Blink Detection for Real-time Eye Tracking. *Journal of Network and Computer Applications* 25, 2 (2002), 129–143.
- [29] Michele Nappi, Stefano Ricciardi, and Massimo Tistarelli. 2018. Context Awareness in Biometric Systems and Methods: State of the Art and Future Scenarios. *Image and Vision Computing* 76 (2018), 27–37.
- [30] Diego Orricelli, Michela Goffredo, Silvia Conforto, and Maurizio Schmid. 2009. An Adaptive Blink Detector to Initialize and Update a View-based remote Eye Gaze Tracking System in a Natural Scenario. *Pattern Recognition Letters* 30, 12 (2009), 1144–1150.
- [31] Gang Pan, Lin Sun, Zhaohui Wu, and Shihong Lao. 2007. Eyeblick-based Anti-spoofing in Face Recognition from a Generic Webcam. In *Proc. IEEE International Conference on Computer Vision*.
- [32] Shimeng Peng, Lujie Chen, Chufan Gao, and Richard Jiarui Tong. 2020. Predicting Students' Attention Level with Interpretable Facial and Head Dynamic Features in an Online Tutoring System. In *Proc. AAAI Conference on Artificial Intelligence*.
- [33] Hugo Proenca, Mark Nixon, et al. 2018. Trends and Controversies. *IEEE Intelligent Systems* 33, 3 (2018), 41–67.
- [34] Krystian Radlak, Maciej Bozek, and Bogdan Smolka. 2015. Silesian Deception Database: Presentation and Analysis. In *Proc. ACM on Workshop on Multimodal Deception Detection*. 29–35.
- [35] Mark Rosenfield. 2011. Computer Vision Syndrome: a Review of Ocular Causes and Potential Treatments. *Ophthalmic and Physiological Optics* 31, 5 (2011), 502–515.
- [36] Harvey Richard Schiffman. 1990. *Sensation and Perception: An Integrated Approach*. John Wiley & Sons.
- [37] Liping Shen, Minjuan Wang, and Ruimin Shen. 2009. Affective E-learning: Using Emotional Data to Improve Learning in Pervasive Learning Environment. *Journal of Educational Technology & Society* 12, 2 (2009), 176–189.
- [38] Karen Simonyan and Andrew Zisserman. 2015. Very Deep Convolutional Networks for Large-scale Image Recognition. In *Proc. International Conference on Learning Representations*.
- [39] Tereza Soukupová and Jan Cech. 2016. Eye Blink Detection using Facial Landmarks. In *Proc. Computer Vision Winter Workshop*.
- [40] Pooneh R. Tabrizi and Reza A. Zoroofi. 2008. Open/Closed Eye Analysis for Drowsiness Detection. In *Proc. Workshops on Image Processing Theory, Tools and Applications*.
- [41] Talking Face. [n.d.]. *Talking Face Video*. Retrieved May 25, 2020 from http://www-prima.inrialpes.fr/FGnet/data/01-TalkingFace/talking_face.html
- [42] Ruben Tolosana, Ruben Vera-Rodriguez, Julian Fierrez, Aythami Morales, and Javier Ortega-Garcia. 2020. DeepFakes and Beyond: A Survey of Face Manipulation and Fake Detection. *arXiv:2001.00179* (2020).
- [43] Ruben Tolosana, Ruben Vera-Rodriguez, Julian Fierrez, and Javier Ortega-Garcia. 2020. BioTouchPass2: Touchscreen Password Biometrics Using Time-Aligned Recurrent Neural Networks. *IEEE Transactions on Information Forensics and Security* 15 (2020), 2616–2628.